

Wenatchee Valley Super Oval 2026 Mini Van Mayhem Rules

GENERAL VEHICLE ELIGIBILITY

- Any stock North American front-wheel drive (FWD) or rear-wheel drive (RWD) mini van permitted.
- NO AWD or 4WD vehicles allowed.
- Vehicles must remain mostly stock except where rules allow modification.
- Safety is the #1 priority. Build safe and have fun.
- All winning vehicles are subject to technical inspection. Non-compliant vehicles will be disqualified.

SECTION 1 — VAN PREPARATION

1. All glass must be removed. Windshield optional.
2. Remove all flammable materials including carpeting, rear seats, interior trim, headliner, and door panels.
3. Remove mirrors, hubcaps, lights, chrome, plastic trim, and unnecessary hardware.
4. Trailer hitches and brackets must be removed.
5. Stock fuel tank must be removed and relocated inside vehicle.

SECTION 2 — FUEL SYSTEM

1. Fuel tanks must be securely mounted with metal straps or chains using minimum 3/8" bolts with large washers.
2. A metal or rubber shield must protect driver from fuel splash.
3. No leaking fuel lines allowed.
4. Tank must be located in front of rear axle and behind driver seat area.
5. Floor drain hole required for runoff.

SECTION 3 — BATTERY

1. Battery must be relocated inside van in a secure battery box.
2. Cannot be mounted to frame.
3. No bungee cords.
4. One battery only.
5. Kill switch or ignition switch must be reachable by driver while belted in.

SECTION 4 — SAFETY BRACING

1. All vans must have a minimum of one upright (vertical) post located directly behind the driver's seat:

- Minimum 2" pipe or square tubing
- Must attach from roof to cross bar or floor
- Must be positioned as close to driver seat as possible

2. Minimum of one cross bar required:

- Must be constructed of 2" pipe or square tubing
- Must be securely mounted across the vehicle for driver protection

3. Rear Tubing Limitation:

- No roll cage or tubing is allowed past the rear wheel wells.
- Any tubing extending behind the rear wheel well area will result in disqualification.

4. Driver door reinforcement required:

- Minimum 8" wide x 3/16" thick channel iron
- Minimum three (3) 3/4" bolts with backing plates

- Passenger side bar optional but recommended

SECTION 5 — SEAT, BELTS & DRIVER SAFETY

1. Approved 4-point harness minimum (5-point recommended).
2. Window net required on driver side.
3. OEM seat allowed. Racing seat recommended.
4. Headrest required.
5. Driver must racing fire suit, closed toed shoes and gloves.
6. Helmet required (Snell rated recommended). Driver must also have neck collar or protection.

SECTION 6 — DOORS, HOODS & CHAINS

1. All doors must be chained or bolted shut.
2. Hood must be able to open for tech inspection.
3. Chains minimum 3/8", maximum 1/2".
4. Rear hatch/door secured in maximum four locations.
5. Bumpers may be welded at brackets only.

SECTION 7 — WINDOW SCREEN

Driver window must have a racing window net OR steel screen (1/2"-2" mesh). Driver must not be able to extend arm outside window.

SECTION 8 — COOLING SYSTEM

Must remain stock.

SECTION 9 — ENGINE / MOUNTS / SUSPENSION

Engine mounts and suspension must remain stock.

SECTION 10 — DISTRIBUTOR / PROTECTION

Distributor protectors not allowed.

SECTION 11 — EXHAUST

Stock exhaust only. May cut off in front of catalytic converter if desired.

SECTION 12 — AIR FILTER

Paper filter removed from housing.

SECTION 13 — BRAKES

Minimum two working hydraulic brakes required.

SECTION 14 — TIRES / WHEELS

Any DOT highway tire allowed. Tubes permitted. Air only — no foam or liquid fill. No reinforcing tie rods.

SECTION 15 — NUMBERS / ROOF SIGN

Roof sign required.

Numbers must be minimum 18" tall with 2" stroke in contrasting colors.

If numbers unreadable → no race.

No Roof Sign = No Race.

SECTION 16 — REPAIRING DAMAGE

Repairs allowed only as approved by tech officials.

SECTION 17 — GENERAL RULES

YOU MAY NOT DO ANYTHING NOT SPECIFICALLY ALLOWED IN THESE RULES.

- Fire extinguisher required mounted in each van.
- Airbags must be removed or disabled.
- Antifreeze and A/C must be removed (water only).
- No welding except repairs approved by tech after event.

EVENT RULES (WVSO)

- Drivers under 18 must have parental waiver and approved by WVSO Management before race day.
- No intentional driver door hits.
- Rough driving or unsafe behavior may result in disqualification.
- Officials decisions are final.
- This is a fun exhibition class — not a demolition derby.

Wenatchee Valley Super Oval

www.WVSO.com